HAWKFIXX
KING OF ADHESIVES

Wood Working Adhesive

PRODUCT INFORMATION

HawkFixx is a high-performance industrial adhesive engineered for Strong, durable bonding in demanding work conditions. Designed for contractors, carpenters, and factories that need consistency, grip and reliability on every job.

TECHNICAL DATA SHEET

Grade	WA35	WA40	WA45
Classification	D2	D2	D2
Physical Appearance	White Emulsion	White Emulsion	White Emulsion
pH of Emulsion	4-6	4-6	4-6
Medium of Adhesive	Water Base	Water Base	Water Base
Solid Content	35±2%	40±2%	45±2%
Viscosity in CPS@ 30°C	10-15K	10-15K	10-15K
Product Features	Good bond, Good setting	High bond, Good setting	High bond, fast setting

APPLICATIONS

- Wood to Wood Bonding
- Plywood, laminate, veneer, MDF
- Furniture, joinery, door & window frames
- General industrial wood applications
- Plywood + Mica
- Plywood + Veneer

RECOMMENDATION

Recommendations are given out of our laboratory trials. However, end user to check suitability before going for bulk production and to confirm all factors.

SUMUKHA

DIRECTIONS TO USE

Step-by-step usage instructions:
1)Clean the surface thoroughly to remove dirt, oil, and debris
2)Apply the adhesive evenly on one or both surfaces
3)Press surfaces together firmly and hold for several minutes
4)Allow sufficient time for bond to cure before putting assembly into use
5)Not to add water. Use as it is

SAFETY INFORMATION

Avoid contact with eyes and skin
Keep out of reach of children
In case of contact, wash with clean water

MANUFACTURED BY

SUMUKHA HITECH PRODUCTS INDUSTRY
B20-22,B34-36, Industrial estate,
Sedarapet Puducherry 605111,India
www.sumukhahitech.com

PACKAGING SIZE

50 kgs

STORAGE INSTRUCTIONS

Store in cool and dry place.
Keep the container tightly closed when not in use

SUMUKHA